

7002016111












1- For proper utilization of this product and safety, it is mandatory to closely comply with the directions and notes in this instruction and guide.

- 2- Earth connection as provided is mandatory.
- 3- Do not directly touch or impact LED module.
- 4- Do not stare at LED light source.
- 5- The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person. Always switch off the power prior to installa-tion, maintenance or repair activities.

In order to use the brackets, follow their individual manual instructions for mounting. Mounting to the bracket Bubble level feature to precisely align luminaire with horizontal plane 2 Looping Cable Size (60245 IEC 57) M313N.. M313W. 8-12 3X1.5 mm<sup>2</sup> 3X2.5 mm<sup>2</sup> 8-12 3X1.5 mm<sup>2</sup> 3X2.5 mm<sup>2</sup> max.120 mm max.120 mm M313N..., M313W... 2 max.120 mm 3 4

2x






## **EN SATURN LED** Instruction for Installation and Utilization for Tunnels










































**SATURN** LED mounting vertically to the pole instruction for installation and utilization








M313UV...



Be careful where the cavity is created on the pole.






- 2- Earth connection as provided is mandatory.3- Do not directly touch or impact LED module.
- 4- Do not stare at LED light source.
















-Ø570-





- Earth connection as provided is mandatory.
  Do not directly touch or impact LED module.
- 4- Do not stare at LED light source.






7











2x



No. Minutes: CM-94-452

Doc. No.W-CM011/01

Execution Date: 05/09/2015

Tracking Code: DOC-334